

KRAJOWA DEKLARACJA WŁAŚCIWOŚCI UŻYTKOWYCH NATIONAL DECLARATION OF PERFORMANCE

Nr / No. 4500125

1. Nazwa i nazwa handlowa wyrobu budowlanego:
Name and trade name of construction product:
Jednouchwytowe baterie mechaniczne
Single lever mechanical mixing valves
ABBA, ADORE, ALBA VerdeLine, ALGEO, ALGEO MEDICO, ALGEO SQUARE, ALGEO SQUARE MEDICO, AZURRO, AZURRO ECOLOGICA, BASIC, BLANCA EKO, BRAVO, CADET VerdeLine, CALISIA FUW, CALISIA PO, CAMIRA INOX, CAMIRO INOX, CAPELLA, CIRRO, CLARA, CLARA VerdeLine, CLASSICA, COMBO, CORDOBA, CORETTO INOX, CORETTO SQ INOX, CUMULUS, DASIC, DECO, DORIS, ELBA, ELSA ECOLOGICA, FERRO ONE, FIESTA, FILTRATA, FITNESS, FITNESS II, FITNESS INOX, FITNESS NERO, FITNESS SLIM, FORMAT, FREYA, GEO, GIRONA, ISSO, LARA, LATTE, LECCO, LIBRETTO, LINUS, LIPPI ECOLOGICA, LUGIO, MAESTRO, MEDINA, NIGA NEW VerdeLine, PERSIA ECOLOGICA, PETITE, PLATTO, PRIMO, RATIO, RENNTTO, RENNTTO BLACK, RICO, RICO ECOLOGIC, RITTO, RITTO BLACK, ROSA, RUBIO, RUGGIO, SAVIO, SCALIA, SELENA, SIERRA NEW, SMILE, SOLENO, SONATA, STACCATO, STILLO, STRATOS, TIGA, TIGA VerdeLine, TOLEDO FUW, TOLEDO PO, VASTO, VASTO MEDICO, VITTO VERDELINE, VITTO VERDELINE BLACK, VIVA, ZICCO, ZORBA, ZORBA II, ZORBA INOX, ZORBA NERO, ZORBA SLIM, ZUMBA, ZUMBA II, ZUMBA INOX, ZUMBA INOX GOLD, ZUMBA NERO, ZUMBA SLIM
2. Oznaczenie typu wyrobu budowlanego:
Type designation of the construction product:
wg załącznika I
3. Zamierzone zastosowanie lub zastosowania:
Intended use or uses:
Do wyposażenia urządzeń sanitarnych instalowanych w pomieszczeniach służących higienie (szatnie, łazienki itp.) i w kuchniach.
For use with sanitary appliances installed in rooms used for bodily hygiene (cloakrooms, bathrooms, etc.) and in kitchens.
4. Nazwa i adres siedziby producenta wyrobu:
Name and address of the manufacturer:
Ferro S.A., ul. Przemysłowa 7, 32-050 Skawina, Polska (PL)

Miejsce produkcji wyrobu:
Place of manufacture of the product:
ChRL / PRC
5. Nazwa i adres siedziby upoważnionego przedstawiciela, o ile został ustanowiony:
Name and address of the authorized representative if it has been established:
-
6. Krajowy system zastosowany do oceny i weryfikacji stałości właściwości użytkowych:
The national system used to assess and verify the constancy of performance:
4
7. Krajowa specyfikacja techniczna:
National technical specification:

7a. Polska Norma wyrobu:
Polish product Standard:
PN-EN 817:2025-02

Nazwa akredytowanej jednostki certyfikującej, numer akredytacji i numer krajowego certyfikatu lub nazwa akredytowanego laboratorium / laboratoriów i numer akredytacji:

Name of the accredited certification body, accreditation number and the number of national certificate or the name of accredited laboratory / laboratories and accreditation number:

-

7b. Krajowa ocena techniczna:

National technical assessment:

-

Jednostka oceny technicznej / Krajowa jednostka oceny technicznej:

Technical assessment body / National technical assessment body:

-

Nazwa akredytowanej jednostki certyfikującej, numer akredytacji i numer certyfikatu:

Name of the accredited certification body, accreditation number and certificate number:

-

8. Deklarowane właściwości użytkowe:

Declared performances:

Zasadnicze charakterystyki wyrobu budowlanego dla zamierzonego zastosowania lub zastosowań Essential characteristics of the construction product for the intended use or uses	Deklarowane właściwości użytkowe Declared performances	Uwagi Comments
Maksymalna temperatura wody gorącej (Tmax) Maximum hot water temperature	$\leq 70\text{ }^{\circ}\text{C}$	-
Maksymalne ciśnienie statyczne (psmax) Maximum static pressure	$\leq 1,0\text{ MPa (10 bar)}$	-
Przepływ nominalny (klasa przepływu) Nominal flow rate (flow rate class)	wg załącznika I	-
Grupa akustyczna Acoustic group	wg załącznika I	-

9. Właściwości użytkowe określonego powyżej wyrobu są zgodne z wszystkimi wymienionymi w pkt 8 deklarowanymi właściwościami użytkowymi. Niniejsza krajowa deklaracja właściwości użytkowych wydana zostaje zgodnie z ustawą z dnia 16 kwietnia 2004 r. o wyrobach budowlanych, na wyłączną odpowiedzialność producenta.

The performances of the product identified above are compatible with all declared performances listed in point 8. Presented national declaration of performance is issued in accordance with the Act of 16th April 2004 on construction products on the sole responsibility of the manufacturer.

W imieniu producenta podpisał(a):

Signed on behalf of the manufacturer by:

Maciej Podraza

Dyrektor Działu Technicznego i Zapewnienia Jakości Grupy

(imię i nazwisko oraz stanowisko)
(name, surname and position)

Skawina, dn. 22.10.2025

(miejsce i data wydania)
(place and date of issue)


.....
(podpis)
(signature)

Nazwa i nazwa handlowa wyrobu budowlanego Name and trade name of construction product	Oznaczenie typu wyrobu budowlanego Type designation of the construction product	Przepływ nominalny (klasa przepływu) Nominal flow rate (flow rate class)	Grupa akustyczna Acoustic group
Jednouchwytowe baterie mechaniczne ABBA Single lever mechanical mixing valves ABBA	BAB11	15,0 l/min (A)/15,0 l/min (A)	II/U
	BAB2	15,0 l/min (A)	II
	BAB2A	15,0 l/min (A)	II
	BAB3	15,0 l/min (A)	II
	BAB33A	15,0 l/min (A)/15,0 l/min (A)	II/II
	BAB4	15,0 l/min (A)	II
	BAB4A	15,0 l/min (A)	II
	BAB5	15,0 l/min (A)	II
	BAB55A	15,0 l/min (A)/15,0 l/min (A)	II/II
	BAB6	15,0 l/min (A)	II
	BAB77	15,0 l/min (A)	II
Jednouchwytowe baterie mechaniczne ADORE Single lever mechanical mixing valves ADORE	BDR1	25,2 l/min (B)/25,2 l/min (B)	U/II
	BDR11A	25,2 l/min (B)/15,0 l/min (A)	II/I
	BDR2	19,8 l/min (S)	U
	BDR2-12	19,8 l/min (S)	U
	BDR2L	19,8 l/min (S)	U
	BDR2L-12	19,8 l/min (S)	U
	BDR3PA	19,8 l/min (S)	II
	BDR4	19,8 l/min (S)	II
	BDR4-12	19,8 l/min (S)	II
	BDR6	19,8 l/min (S)	II
	BDR6-12	19,8 l/min (S)	II
	BDR7	30,0 l/min (C)	II
	BDR7P	25,2 l/min (B)/25,2 l/min (B)	II/II
Jednouchwytowe baterie mechaniczne ALBA VerdeLine Single lever mechanical mixing valves ALBA VerdeLine	BLB1VL	19,8 l/min (S)/19,8 l/min (S)	U/U
	BLB2VL	9,0 l/min (Z)	I
	BLB2VL-12	9,0 l/min (Z)	I
	BLB6VL	9,0 l/min (Z)	I
	BLB6VL-12	9,0 l/min (Z)	I
	BLB7PVL	25,2 l/min (B)/19,8 l/min (S)	II/II
Jednouchwytowe baterie mechaniczne ALGEO Single lever mechanical mixing valves ALGEO	BLB7VL	15,0 l/min (A)	II
	BAG1	19,8 l/min (S)/15,0 l/min (A)	U/II
	BAG11A	15,0 l/min (A)/15,0 l/min (A)	I/II
	BAG11P	25,2 l/min (B)/15,0 l/min (A)	II/I
	BAG1BL	19,8 l/min (S)/15,0 l/min (A)	U/II
	BAG2	15,0 l/min (A)	II
	BAG2-12	15,0 l/min (A)	II
	BAG2A	15,0 l/min (A)	II
	BAG2A-12	15,0 l/min (A)	II
	BAG2AA	19,8 l/min (S)	II
	BAG2AA-12	19,8 l/min (S)	II
	BAG2ABL	15,0 l/min (A)	II
	BAG2ALG	15,0 l/min (A)	II
	BAG2APO	15,0 l/min (A)	I
	BAG2BL	15,0 l/min (A)	II
	BAG2BL-12	15,0 l/min (A)	II
	BAG2L	19,8 l/min (S)	II
	BAG2L-12	19,8 l/min (S)	II
	BAG2LBL	19,8 l/min (S)	II
	BAG2LBL-12	19,8 l/min (S)	II
	BAG3	15,0 l/min (A)	II
	BAG3A	15,0 l/min (A)/15,0 l/min (A)	U/II
	BAG3PA18	19,8 l/min (S)	U
	BAG3PA22	19,8 l/min (S)	U
	BAG4	15,0 l/min (A)	U
	BAG4-12	15,0 l/min (A)	U
	BAG4A	15,0 l/min (A)	II
	BAG4A-12	15,0 l/min (A)	II
	BAG5	15,0 l/min (A)	II
	BAG55A	15,0 l/min (A)/15,0 l/min (A)	U/I
	BAG5A	15,0 l/min (A)/15,0 l/min (A)	U/II
	BAG5FB	15,0 l/min (A)	II
	BAG6	15,0 l/min (A)	II
	BAG6-12	15,0 l/min (A)	II
	BAG66P	15,0 l/min (A)	II
	BAG6BL	15,0 l/min (A)	II
	BAG6BL-12	15,0 l/min (A)	II
	BAG7	19,8 l/min (S)	U
	BAG7BL	19,8 l/min (S)	U
	BAG7P	25,2 l/min (B)/19,8 l/min (S)	II/II
	BAG7PA	19,8 l/min (S)	U
	BAG7U	19,8 l/min (S)	U
	BAG8	15,0 l/min (A)	I
	BAG8-12	15,0 l/min (A)	I
	BAG11	19,8 l/min (S)/15,0 l/min (A)	U/II
	BAG1BLB	19,8 l/min (S)/15,0 l/min (A)	U/II

	BAG2ABLB	15,0 l/min (A)	II
	BAG2BLB	15,0 l/min (A)	II
	BAG2FW	15,0 l/min (A)	II
	BAG2LBLB	19,8 l/min (S)	II
	BAG5UFB	15,0 l/min (A)	II
	BAG66PBL	15,0 l/min (A)	II
	BAG6BLB	15,0 l/min (A)	II
	BAG7BLB	19,8 l/min (S)	U
	BAG2-LA	9,0 l/min (Z)	I
	BAG2-LB	9,0 l/min (Z)	I
Jednouchwytowe baterie mechaniczne ALGEO MEDICO Single lever mechanical mixing valves ALGEO MEDICO	BAGM2	15,0 l/min (A)	II
	BAGM2-12	15,0 l/min (A)	II
	BAGM2AA	19,8 l/min (S)	II
	BAGM2L	19,8 l/min (S)	II
	BAGM3	15,0 l/min (A)	II
	BAGM4A	15,0 l/min (A)	II
	BAGM5	15,0 l/min (A)	II
Jednouchwytowe baterie mechaniczne ALGEO SQUARE Single lever mechanical mixing valves ALGEO SQUARE	BAGM7	19,8 l/min (S)	U
	BAQ1	19,8 l/min (S)/19,8 l/min (S)	U/II
	BAQ11A	15,0 l/min (A)/15,0 l/min (A)	I/II
	BAQ11P	25,2 l/min (B)/15,0 l/min (A)	II/I
	BAQ1BLC	19,8 l/min (S)/19,8 l/min (S)	U/II
	BAQ2	19,8 l/min (S)	II
	BAQ2-12	19,8 l/min (S)	II
	BAQ2BLC	19,8 l/min (S)	II
	BAQ2L	19,8 l/min (S)	U
	BAQ2L-12	19,8 l/min (S)	U
	BAQ2LBLC	19,8 l/min (S)	U
	BAQ3A	15,0 l/min (A)/19,8 l/min (S)	II/II
	BAQ3PA18	19,8 l/min (S)	U
	BAQ3PA22	19,8 l/min (S)	U
	BAQ4	15,0 l/min (A)	II
	BAQ4-12	15,0 l/min (A)	II
	BAQ5A	15,0 l/min (A)/19,8 l/min (S)	II/II
	BAQ6	19,8 l/min (S)	II
	BAQ6-12	19,8 l/min (S)	II
	BAQ66P	15,0 l/min (A)	II
	BAQ6BLC	19,8 l/min (S)	II
	BAQ7	19,8 l/min (S)	II
	BAQ7BLC	19,8 l/min (S)	II
	BAQ7P	25,2 l/min (B)/19,8 l/min (S)	II/II
	BAQ7U	19,8 l/min (S)	II
	BAQ2BLC-12	19,8 l/min (S)	II
Jednouchwytowe baterie mechaniczne ALGEO SQUARE MEDICO Single lever mechanical mixing valves ALGEO SQUARE MEDICO	BAQM2	19,8 l/min (S)	II
Jednouchwytowe baterie mechaniczne AZURRO Single lever mechanical mixing valves AZURRO	BAZ1EAG	15,0 l/min (A)/9,0 l/min (Z)	II/II
	BAZ1REA	15,0 l/min (A)/9,0 l/min (Z)	II/II
	BAZ1REABL	15,0 l/min (A)/9,0 l/min (Z)	II/II
	BAZ2EAG	9,0 l/min (Z)	I
	BAZ2LEAG	9,0 l/min (Z)	I
	BAZ6EA	9,0 l/min (Z)	I
	BAZ6EABL	9,0 l/min (Z)	I
	BAZ6EAG	9,0 l/min (Z)	I
Jednouchwytowe baterie mechaniczne AZURRO ECOLOGICA Single lever mechanical mixing valves AZURRO ECOLOGICA	BAZ7EAG	9,0 l/min (Z)	II
	BAZ1EA	15,0 l/min (A)/9,0 l/min (Z)	II/II
	BAZ1EABL	15,0 l/min (A)/9,0 l/min (Z)	II/II
	BAZ2EA	9,0 l/min (Z)	I
	BAZ2EABL	9,0 l/min (Z)	I
	BAZ2LEA	9,0 l/min (Z)	I
	BAZ2LEABL	9,0 l/min (Z)	I
	BAZ7EA	9,0 l/min (Z)	II
Jednouchwytowe baterie mechaniczne BASIC Single lever mechanical mixing valves BASIC	BAZ7EABL	9,0 l/min (Z)	II
	BBC11	15,0 l/min (A)/15,0 l/min (A)	II/II
	BBC2	15,0 l/min (A)	II
	BBC2-12	15,0 l/min (A)	II
	BBC2A	15,0 l/min (A)	U
	BBC2A-12	15,0 l/min (A)	U
	BBC3	15,0 l/min (A)	U
	BBC4	15,0 l/min (A)	II
	BBC4-12	15,0 l/min (A)	II
	BBC4-40	15,0 l/min (A)	II
	BBC4-50	15,0 l/min (A)	II
	BBC5	15,0 l/min (A)	U
	BBC55A	15,0 l/min (A)/15,0 l/min (A)	U/U
	BBC5A	15,0 l/min (A)/15,0 l/min (A)	U/U
	BBC6	15,0 l/min (A)	II
	BBC6-12	15,0 l/min (A)	II
	BBC77	15,0 l/min (A)	II
Jednouchwytowe baterie mechaniczne BLANCA EKO Single lever mechanical mixing valves BLANCA EKO	BCB3	15,0 l/min (A)	U
	BCB4	15,0 l/min (A)	II
Jednouchwytowe baterie mechaniczne BRAVO	BRV1	15,0 l/min (A)/15,0 l/min (A)	II/II
	BRV2BK	15,0 l/min (A)	II

Single lever mechanical mixing valves BRAVO	BRV4	15,0 l/min (A)	II
	BRV7	15,0 l/min (A)	II
Jednouchwytowe baterie mechaniczne CADET VerdeLine	BCF1VL	19,8 l/min (S)/19,8 l/min (S)	U/U
Single lever mechanical mixing valves CADET VerdeLine	BCF2VL	9,0 l/min (Z)	I
Jednouchwytowe baterie mechaniczne CALISIA FUW	BCI4FUW	15,0 l/min (A)	I
Single lever mechanical mixing valves CALISIA FUW			
Jednouchwytowe baterie mechaniczne CALISIA PO	BCI4PO	15,0 l/min (A)	I
Single lever mechanical mixing valves CALISIA PO			
Jednouchwytowe baterie mechaniczne CAMIRA INOX	BCR4	15,0 l/min (A)	II
Single lever mechanical mixing valves CAMIRA INOX	BCR4-12	15,0 l/min (A)	II
Jednouchwytowe baterie mechaniczne CAMIRO INOX	BCQ4	15,0 l/min (A)	II
Single lever mechanical mixing valves CAMIRO INOX	BCQ4-12	15,0 l/min (A)	II
Jednouchwytowe baterie mechaniczne CAPELLA	BL4	15,0 l/min (A)	II
Single lever mechanical mixing valves CAPELLA	BL4BL	15,0 l/min (A)	II
Jednouchwytowe baterie mechaniczne CIRRO	BCJ4	15,0 l/min (A)	II
Single lever mechanical mixing valves CIRRO	BCJ8	9,0 l/min (Z)/9,0 l/min (Z)	I/I
Jednouchwytowe baterie mechaniczne CLARA	BCL3A	15,0 l/min (A)/19,8 l/min (S)	II/II
Single lever mechanical mixing valves CLARA	BCL5A	15,0 l/min (A)/19,8 l/min (S)	II/II
Jednouchwytowe baterie mechaniczne CLARA VerdeLine	BCL1VL	15,0 l/min (A)/15,0 l/min (A)	U/U
	BCL2AVL	9,0 l/min (Z)	I
	BCL2VL	9,0 l/min (Z)	I
	BCL4VL	9,0 l/min (Z)	I
	BCL6VL	9,0 l/min (Z)	I
	BCL7PVL	25,2 l/min (B)/19,8 l/min (S)	II/II
	BCL7VL	19,8 l/min (S)	U
Jednouchwytowe baterie mechaniczne CLASSICA	BCC11	15,0 l/min (A)/15,0 l/min (A)	II/II
	BCC2	15,0 l/min (A)	II
	BCC2A	15,0 l/min (A)	U
	BCC3	15,0 l/min (A)	U
	BCC4	15,0 l/min (A)	II
	BCC5	15,0 l/min (A)	U
	BCC6	15,0 l/min (A)	II
	BCC77	15,0 l/min (A)	II
Jednouchwytowe baterie mechaniczne COMBO	BCM1	15,0 l/min (A)/15,0 l/min (A)	U/U
	BCM11AA	19,8 l/min (S)/15,0 l/min (A)	II/II
	BCM1A	15,0 l/min (A)/15,0 l/min (A)	U/U
	BCM2	15,0 l/min (A)	U
	BCM2A	15,0 l/min (A)	U
	BCM2ALP	15,0 l/min (A)	
	BCM3A	15,0 l/min (A)/15,0 l/min (A)	U/U
	BCM4	15,0 l/min (A)	II
	BCM4LP	15,0 l/min (A)	
	BCM55A	15,0 l/min (A)/15,0 l/min (A)	U/U
	BCM5A	15,0 l/min (A)/15,0 l/min (A)	U/U
	BCM6	15,0 l/min (A)	U
	BCM7	19,8 l/min (S)	U
	BCM7P	25,2 l/min (B)/19,8 l/min (S)	II/II
	BCM7PA	19,8 l/min (S)	U
Jednouchwytowe baterie mechaniczne CORDOBA	BCD1	19,8 l/min (S)/15,0 l/min (A)	U/II
	BCD11A	15,0 l/min (A)/15,0 l/min (A)	I/II
	BCD11P	25,2 l/min (B)/15,0 l/min (A)	II/I
	BCD2	15,0 l/min (A)	II
	BCD2A	15,0 l/min (A)	II
	BCD2AA	19,8 l/min (S)	II
	BCD2APO	15,0 l/min (A)	I
	BCD2L	19,8 l/min (S)	II
	BCD3A	15,0 l/min (A)/15,0 l/min (A)	U/II
	BCD3PA18	19,8 l/min (S)	U
	BCD3PA22	19,8 l/min (S)	U
	BCD4	15,0 l/min (A)	U
	BCD4A	15,0 l/min (A)	II
	BCD5	15,0 l/min (A)	II
	BCD55A	15,0 l/min (A)/15,0 l/min (A)	U/I
	BCD5A	15,0 l/min (A)/15,0 l/min (A)	U/II
	BCD5FB	15,0 l/min (A)	II
	BCD6	15,0 l/min (A)	II
	BCD66P	15,0 l/min (A)	II
	BCD7	19,8 l/min (S)	U
	BCD7P	25,2 l/min (B)/19,8 l/min (S)	II/II
	BCD7PA	19,8 l/min (S)	U
	BCD7U	19,8 l/min (S)	U
	BCD8	15,0 l/min (A)	I
	BCD11F	30,0 l/min (C)/25,2 l/min (B)	II/I
	BCD1BLB	19,8 l/min (S)/15,0 l/min (A)	U/II
	BCD2-12	15,0 l/min (A)	II
	BCD2A-12	15,0 l/min (A)	II
	BCD2ABLB	15,0 l/min (A)	II
	BCD2BLB	15,0 l/min (A)	II
	BCD2FW	15,0 l/min (A)	II
	BCD2LBLB	19,8 l/min (S)	II
	BCD4-12	15,0 l/min (A)	U
	BCD5UFB	15,0 l/min (A)	II

	BCD6-12	15,0 l/min (A)	II
	BCD6BLB	15,0 l/min (A)	II
	BCD7BLB	19,8 l/min (S)	U
Jednouchwytowe baterie mechaniczne CORETTO INOX Single lever mechanical mixing valves CORETTO INOX	BCP4	15,0 l/min (A)	II
Jednouchwytowe baterie mechaniczne CORETTO SQ INOX Single lever mechanical mixing valves CORETTO SQ INOX	BCX4	15,0 l/min (A)	II
Jednouchwytowe baterie mechaniczne CUMULUS Single lever mechanical mixing valves CUMULUS	BCU4	15,0 l/min (A)	II
	BCU8	9,0 l/min (Z)/9,0 l/min (Z)	I/I
Jednouchwytowe baterie mechaniczne DASIC Single lever mechanical mixing valves DASIC	BBD11	15,0 l/min (A)/15,0 l/min (A)	II/II
	BBD2	15,0 l/min (A)	II
	BBD2A	15,0 l/min (A)	U
	BBD3	15,0 l/min (A)	U
	BBD4	15,0 l/min (A)	II
	BBD5	15,0 l/min (A)	U
	BBD77	15,0 l/min (A)	II
Jednouchwytowe baterie mechaniczne DECO Single lever mechanical mixing valves DECO	BDC11	15,0 l/min (A)/19,8 l/min (S)	U/II
	BDC2	15,0 l/min (A)	II
	BDC2-12	15,0 l/min (A)	II
	BDC2A	15,0 l/min (A)	II
	BDC2A-12	15,0 l/min (A)	II
	BDC3	15,0 l/min (A)	U
	BDC3AC	15,0 l/min (A)/15,0 l/min (A)	U/U
	BDC4	15,0 l/min (A)	II
	BDC4-12	15,0 l/min (A)	II
	BDC4A	15,0 l/min (A)	II
	BDC4A-12	15,0 l/min (A)	II
	BDC5	15,0 l/min (A)	II
	BDC55AC	15,0 l/min (A)/15,0 l/min (A)	U/U
	BDC5AC	15,0 l/min (A)/15,0 l/min (A)	U/U
	BDC6	15,0 l/min (A)	II
	BDC6-12	15,0 l/min (A)	II
	BDC77	15,0 l/min (A)	II
	BDC8	15,0 l/min (A)	II
Jednouchwytowe baterie mechaniczne DORIS Single lever mechanical mixing valves DORIS	BDO1	25,2 l/min (B)/25,2 l/min (B)	U/II
	BDO11A	25,2 l/min (B)/25,2 l/min (B)	U/II
	BDO2	19,8 l/min (S)	U
	BDO2L	19,8 l/min (S)	U
	BDO3PA	19,8 l/min (S)	II
	BDO3PABLC	19,8 l/min (S)	II
	BDO4	19,8 l/min (S)	II
	BDO4BLC	19,8 l/min (S)	II
	BDO6	19,8 l/min (S)	II
	BDO7	30,0 l/min (C)	II
Jednouchwytowe baterie mechaniczne ELBA Single lever mechanical mixing valves ELBA	BDO7P	25,2 l/min (B)/25,2 l/min (B)	II/II
	BDO7PBLC	25,2 l/min (B)/25,2 l/min (B)	II/II
	BEL11	15,0 l/min (A)/19,8 l/min (S)	U/II
	BEL2	15,0 l/min (A)	II
	BEL2A	15,0 l/min (A)	II
	BEL3	15,0 l/min (A)	U
	BEL3A	15,0 l/min (A)/15,0 l/min (A)	U/U
	BEL4	15,0 l/min (A)	II
	BEL4A	15,0 l/min (A)	II
	BEL55A	15,0 l/min (A)/15,0 l/min (A)	U/U
Jednouchwytowe baterie mechaniczne ELSA ECOLOGICA Single lever mechanical mixing valves ELSA ECOLOGICA	BEL5A	15,0 l/min (A)/15,0 l/min (A)	U/U
	BEL6	15,0 l/min (A)	II
	BEL77	15,0 l/min (A)	II
	BEL8	15,0 l/min (A)	II
	BEC11EA	15,0 l/min (A)/19,8 l/min (S)	U/II
	BEC2AEA	9,0 l/min (Z)	II
	BEC2EA	9,0 l/min (Z)	II
	BEC3EA	9,0 l/min (Z)	U
	BEC6EA	9,0 l/min (Z)	II
	BEC77EA	15,0 l/min (A)	II
Jednouchwytowe baterie mechaniczne FERRO ONE Single lever mechanical mixing valves FERRO ONE	BFO1	15,0 l/min (A)/15,0 l/min (A)	U/U
	BFO11AA	19,8 l/min (S)/15,0 l/min (A)	II/II
	BFO1A	15,0 l/min (A)/15,0 l/min (A)	U/U
	BFO2	15,0 l/min (A)	U
	BFO2-12	15,0 l/min (A)	U
	BFO2A	15,0 l/min (A)	U
	BFO2A-12	15,0 l/min (A)	U
	BFO2ALP	15,0 l/min (A)	
	BFO3	15,0 l/min (A)	U
	BFO3A	15,0 l/min (A)/15,0 l/min (A)	U/U
	BFO4	15,0 l/min (A)	II
	BFO4-12	15,0 l/min (A)	II
	BFO4LP	15,0 l/min (A)	
	BFO5	15,0 l/min (A)	II
	BFO55A	15,0 l/min (A)/15,0 l/min (A)	U/U
	BFO5A	15,0 l/min (A)/15,0 l/min (A)	U/U
	BFO6	15,0 l/min (A)	U
	BFO6-12	15,0 l/min (A)	U

	BFO7	19,8 l/min (S)	U
	BFO7P	25,2 l/min (B)/19,8 l/min (S)	II/II
	BFO7PA	19,8 l/min (S)	U
	BFO11B	15,0 l/min (A)/15,0 l/min (A)	U/U
	BFO2-LC	9,0 l/min (Z)	I
	BFO3-LB	9,0 l/min (Z)	II
	BFO4-LB	9,0 l/min (Z)	I
	BFO5-LB	9,0 l/min (Z)	I
	BFO2-LA	9,0 l/min (Z) (1,0 l/min.)	I
Jednouchwytowe baterie mechaniczne FIESTA Single lever mechanical mixing valves FIESTA	BFO2-LB	9,0 l/min (Z) (2,7 l/min.)	I
	BF11	19,8 l/min (S)/19,8 l/min (S)	U/U
	BF111F	30,0 l/min (C)/25,2 l/min (B)	II/I
	BF11G	19,8 l/min (S)/19,8 l/min (S)	U/U
	BF12	19,8 l/min (S)	II
	BF12-12	19,8 l/min (S)	II
	BF12-LB	9,0 l/min (Z) (2,6 l/min.)	I
	BF12A	15,0 l/min (A)	II
	BF12A-12	15,0 l/min (A)	II
	BF12AG	15,0 l/min (A)	II
	BF12FB	15,0 l/min (A)	I
	BF12G	19,8 l/min (S)	II
	BF12L	15,0 l/min (A)	II
	BF12L-12	15,0 l/min (A)	II
	BF12LG	15,0 l/min (A)	II
	BF16	19,8 l/min (S)	U
	BF16G	19,8 l/min (S)	U
	BF17	25,2 l/min (B)	U
	BF17G	25,2 l/min (B)	U
Jednouchwytowe baterie mechaniczne FILTRATA Single lever mechanical mixing valves FILTRATA	BF17P	19,8 l/min (S)/19,8 l/min (S)	II/II
	BF111	19,8 l/min (S)/19,8 l/min (S)	U/U
	BF12FB-12	15,0 l/min (A)	I
	BF12FBBL	15,0 l/min (A)	I
	BFT41	15,0 l/min (A)/9,0 l/min (Z)	II
Jednouchwytowe baterie mechaniczne FITNESS Single lever mechanical mixing valves FITNESS	BFT41B	9,0 l/min (Z)/9,0 l/min (Z)	I
	BFT42	15,0 l/min (A)/9,0 l/min (Z)	II
	BFT42B	9,0 l/min (Z)/9,0 l/min (Z)	I
	BFT4F	15,0 l/min (A)/15,0 l/min (A)	II/II
	BFS4B	15,0 l/min (A)	II
	BFS4B-12	15,0 l/min (A)	II
	BFS4P	15,0 l/min (A)	II
	BFS4P-12	15,0 l/min (A)	II
	BFS4S	15,0 l/min (A)	II
Jednouchwytowe baterie mechaniczne FITNESS II Single lever mechanical mixing valves FITNESS II	BFS4S-12	15,0 l/min (A)	II
	BFS4W	15,0 l/min (A)	II
	BFS4W-12	15,0 l/min (A)	II
	BFS42B	9,0 l/min (Z)/9,0 l/min (Z)	I/I
Jednouchwytowe baterie mechaniczne FITNESS INOX Single lever mechanical mixing valves FITNESS INOX	BFS42P	9,0 l/min (Z)/9,0 l/min (Z)	I/I
	BFS42S	9,0 l/min (Z)/9,0 l/min (Z)	I/I
	BFS42W	9,0 l/min (Z)/9,0 l/min (Z)	I/I
	BFS4BSS	15,0 l/min (A)	I
	BFS4PSS	15,0 l/min (A)	I
	BFS4SSS	15,0 l/min (A)	I
	BFS4WSS	15,0 l/min (A)	I
Jednouchwytowe baterie mechaniczne FITNESS NERO Single lever mechanical mixing valves FITNESS NERO	BFS4BSSBC	15,0 l/min (A)	I
	BFS4BSSG	15,0 l/min (A)	I
	BFS4BSSGM	15,0 l/min (A)	I
Jednouchwytowe baterie mechaniczne FITNESS SLIM Single lever mechanical mixing valves FITNESS SLIM	BFS48LB	15,0 l/min (A)	II
	BFS43B	9,0 l/min (Z)/9,0 l/min (Z)	I/II
	BFS43P	9,0 l/min (Z)/9,0 l/min (Z)	I/II
	BFS43S	9,0 l/min (Z)/9,0 l/min (Z)	I/II
	BFS43W	9,0 l/min (Z)/9,0 l/min (Z)	I/II
Jednouchwytowe baterie mechaniczne FORMAT Single lever mechanical mixing valves FORMAT	BBM11	15,0 l/min (A)/19,8 l/min (S)	U/II
	BBM2	15,0 l/min (A)	II
	BBM2A	15,0 l/min (A)	II
	BBM3	15,0 l/min (A)	U
	BBM4	15,0 l/min (A)	II
	BBM4A	15,0 l/min (A)	II
	BBM5	15,0 l/min (A)	II
	BBM6	15,0 l/min (A)	II
	BBM77	15,0 l/min (A)	II
Jednouchwytowe baterie mechaniczne FREYA Single lever mechanical mixing valves FREYA	BBM8	15,0 l/min (A)	II
	BFR41B	15,0 l/min (A)	U
	BFR41B-12	15,0 l/min (A)	U
	BFR41S	15,0 l/min (A)	U
	BFR41S-12	15,0 l/min (A)	U
	BFR42B	15,0 l/min (A)	U
	BFR42B-12	15,0 l/min (A)	U
	BFR42S	15,0 l/min (A)	U
	BFR42S-12	15,0 l/min (A)	U
	BFR4B	19,8 l/min (S)	U
	BFR4B-12	19,8 l/min (S)	U

	BFR4S	19,8 l/min (S)	U
	BFR4S-12	19,8 l/min (S)	U
	BFR8B	15,0 l/min (A)/15,0 l/min (A)	I/I
	BFR8B-12	15,0 l/min (A)/15,0 l/min (A)	I/I
	BFR8S	15,0 l/min (A)	I
	BFR8S-12	15,0 l/min (A)/15,0 l/min (A)	I/I
Jednouchwytowe baterie mechaniczne GEO Single lever mechanical mixing valves GEO	BGO1	19,8 l/min (S)/15,0 l/min (A)	U/I
	BGO1BLC	19,8 l/min (S)/15,0 l/min (A)	U/I
	BGO2	15,0 l/min (A)	II
	BGO2A	15,0 l/min (A)	II
	BGO2AA	19,8 l/min (S)	II
	BGO2ABLC	15,0 l/min (A)	II
	BGO2BLC	15,0 l/min (A)	II
	BGO2L	19,8 l/min (S)	II
	BGO2LBLC	19,8 l/min (S)	II
	BGO3	15,0 l/min (A)	II
	BGO3A	15,0 l/min (A)/15,0 l/min (A)	U/I
	BGO4	15,0 l/min (A)	U
	BGO4A	15,0 l/min (A)	II
	BGO5	15,0 l/min (A)	II
	BGO5A	15,0 l/min (A)/15,0 l/min (A)	U/I
	BGO6	15,0 l/min (A)	II
	BGO66P	15,0 l/min (A)	II
	BGO7	19,8 l/min (S)	U
Jednouchwytowe baterie mechaniczne GIRONA Single lever mechanical mixing valves GIRONA	BGO7BLC	19,8 l/min (S)	U
	BGO7PA	19,8 l/min (S)	U
	BGI41B	15,0 l/min (A)	U
Jednouchwytowe baterie mechaniczne ISSO Single lever mechanical mixing valves ISSO	BGI41S	15,0 l/min (A)	U
	BGI8B	15,0 l/min (A)/15,0 l/min (A)	I/I
	BIS11	15,0 l/min (A)/15,0 l/min (A)	II/U
	BIS2	15,0 l/min (A)	II
	BIS2-12	15,0 l/min (A)	II
	BIS2A	15,0 l/min (A)	II
	BIS2A-12	15,0 l/min (A)	II
	BIS3	15,0 l/min (A)	II
	BIS33A	15,0 l/min (A)/15,0 l/min (A)	II/I
	BIS4	15,0 l/min (A)	II
	BIS4-12	15,0 l/min (A)	II
	BIS4A	15,0 l/min (A)	II
	BIS4A-12	15,0 l/min (A)	II
	BIS5	15,0 l/min (A)	II
Jednouchwytowe baterie mechaniczne LARA Single lever mechanical mixing valves LARA	BIS55A	15,0 l/min (A)/15,0 l/min (A)	II/I
	BIS6	15,0 l/min (A)	II
Jednouchwytowe baterie mechaniczne LATTE Single lever mechanical mixing valves LATTE	BIS77	15,0 l/min (A)	II
	BLR6	15,0 l/min (A)	II
Jednouchwytowe baterie mechaniczne LECCO Single lever mechanical mixing valves LECCO	BLT4	15,0 l/min (A)	II
	BLC4	15,0 l/min (A)	II
Jednouchwytowe baterie mechaniczne LIBRETTO Single lever mechanical mixing valves LIBRETTO	BLC4BL	15,0 l/min (A)	II
	BLE4B	9,0 l/min (Z)/9,0 l/min (Z)	I/I
	BLE4B-12	9,0 l/min (Z)/9,0 l/min (Z)	I/I
Jednouchwytowe baterie mechaniczne LINUS Single lever mechanical mixing valves LINUS	BLX1	19,8 l/min (S)/19,8 l/min (S)	U/U
	BLX11F	30,0 l/min (C)/25,2 l/min (B)	II/I
	BLX2	19,8 l/min (S)	II
	BLX2A	15,0 l/min (A)	II
	BLX2FB	15,0 l/min (A)	I
	BLX2L	15,0 l/min (A)	II
	BLX7	25,2 l/min (B)	U
Jednouchwytowe baterie mechaniczne LIPPI ECOLOGICA Single lever mechanical mixing valves LIPPI ECOLOGICA	BLX2FBBL	15,0 l/min (A)	I
	BLP1EA	15,0 l/min (A)/9,0 l/min (Z)	II/I
	BLP1EABL	15,0 l/min (A)/9,0 l/min (Z)	II/I
	BLP1EAG	15,0 l/min (A)/9,0 l/min (Z)	II/I
	BLP1REA	15,0 l/min (A)/9,0 l/min (Z)	II/I
	BLP1REABL	15,0 l/min (A)/9,0 l/min (Z)	II/I
	BLP2EA	9,0 l/min (Z)	I
	BLP2EABL	9,0 l/min (Z)	I
	BLP2EAG	9,0 l/min (Z)	I
	BLP2LEA	9,0 l/min (Z)	I
	BLP2LEABL	9,0 l/min (Z)	I
	BLP2LEAG	9,0 l/min (Z)	I
	BLP6EA	9,0 l/min (Z)	I
	BLP6EABL	9,0 l/min (Z)	I
	BLP6EAG	9,0 l/min (Z)	I
	BLP7EA	9,0 l/min (Z)	II
	BLP7EABL	9,0 l/min (Z)	II
	BLP7EAG	9,0 l/min (Z)	II
	BLP7UEA	9,0 l/min (Z)	I
	BLP7UEA-BL	9,0 l/min (Z)	I
	BLP1EAGM	15,0 l/min (A)/9,0 l/min (Z)	II/I
	BLP2EA-12	9,0 l/min (Z)	I
	BLP2EAGM	9,0 l/min (Z)	I

	BLP2LEAGM	9,0 l/min (Z)	I
	BLP6EAGM	9,0 l/min (Z)	I
	BLP7EAGM	9,0 l/min (Z)	II
	BLP7UEAGM	9,0 l/min (Z)	I
Jednouchwytowe baterie mechaniczne LUGIO Single lever mechanical mixing valves LUGIO	BLG4	15,0 l/min (A)	II
	BLG4-12	15,0 l/min (A)	II
	BLG4BL	15,0 l/min (A)	II
	BLG4BL-12	15,0 l/min (A)	II
	BLG4LP	9,0 l/min (Z)	II
Jednouchwytowe baterie mechaniczne MAESTRO Single lever mechanical mixing valves MAESTRO	BMS4	9,0 l/min (Z)	II
	BMS4-12	9,0 l/min (Z)	II
Jednouchwytowe baterie mechaniczne MEDINA Single lever mechanical mixing valves MEDINA	BMD4BL	15,0 l/min (A)	II
Jednouchwytowe baterie mechaniczne NIGA NEW VerdeLine Single lever mechanical mixing valves NIGA NEW VerdeLine	BNG1VL	15,0 l/min (A)/15,0 l/min (A)	U/U
	BNG2VL	9,0 l/min (Z)	I
	BNG6VL	9,0 l/min (Z)	I
	BNG7VL	19,8 l/min (S)	U
Jednouchwytowe baterie mechaniczne PERSIA ECOLOGICA Single lever mechanical mixing valves PERSIA ECOLOGICA	BPS11EA	15,0 l/min (A)/19,8 l/min (S)	U/II
	BPS1EA	15,0 l/min (A)/19,8 l/min (S)	U/U
	BPS2AEA	9,0 l/min (Z)	II
	BPS2EA	9,0 l/min (Z)	II
	BPS2EA/K	9,0 l/min (Z)	II
	BPS6EA	9,0 l/min (Z)	II
	BPS77EA	15,0 l/min (A)	II
	BPS7EA	19,8 l/min (S)	U
Jednouchwytowe baterie mechaniczne PETITE Single lever mechanical mixing valves PETITE	BPT1	15,0 l/min (A)/15,0 l/min (A)	U/U
	BPT1BL	15,0 l/min (A)/15,0 l/min (A)	U/U
	BPT2	15,0 l/min (A)	U
	BPT2A	15,0 l/min (A)	U
	BPT2ABL	15,0 l/min (A)	U
	BPT2BL	15,0 l/min (A)	U
	BPT55A	15,0 l/min (A)/15,0 l/min (A)	U/U
	BPT5A	15,0 l/min (A)/15,0 l/min (A)	U/U
	BPT7	15,0 l/min (A)	U
Jednouchwytowe baterie mechaniczne PLATTO Single lever mechanical mixing valves PLATTO	BPT7BL	15,0 l/min (A)	U
	BPL1	19,8 l/min (S)/19,8 l/min (S)	U/II
	BPL11A	15,0 l/min (A)/15,0 l/min (A)	I/II
	BPL11P	25,2 l/min (B)/15,0 l/min (A)	II/I
	BPL1BLC	19,8 l/min (S)/19,8 l/min (S)	U/II
	BPL2	19,8 l/min (S)	II
	BPL2-12	19,8 l/min (S)	II
	BPL2BLC	19,8 l/min (S)	II
	BPL2L	19,8 l/min (S)	U
	BPL2L-12	19,8 l/min (S)	U
	BPL2LBLC	19,8 l/min (S)	U
	BPL3A	15,0 l/min (A)/19,8 l/min (S)	II/II
	BPL3PA18	19,8 l/min (S)	U
	BPL3PA22	19,8 l/min (S)	U
	BPL4	15,0 l/min (A)	II
	BPL4-12	15,0 l/min (A)	II
	BPL5A	15,0 l/min (A)/19,8 l/min (S)	II/II
	BPL6	19,8 l/min (S)	II
	BPL66P	15,0 l/min (A)	II
	BPL6BLC	19,8 l/min (S)	II
Jednouchwytowe baterie mechaniczne PRIMO Single lever mechanical mixing valves PRIMO	BPL7	19,8 l/min (S)	II
	BPL7BLC	19,8 l/min (S)	II
	BPL7P	25,2 l/min (B)/19,8 l/min (S)	II/II
	BPL7U	19,8 l/min (S)	II
	BOP1	15,0 l/min (A)/15,0 l/min (A)	II/II
	BOP11	15,0 l/min (A)/15,0 l/min (A)	II/II
	BOP2	15,0 l/min (A)	II
	BOP2A	15,0 l/min (A)	U
	BOP3	15,0 l/min (A)	U
Jednouchwytowe baterie mechaniczne RATIO Single lever mechanical mixing valves RATIO	BOP4	15,0 l/min (A)	II
	BOP5	15,0 l/min (A)	U
	BOP6	15,0 l/min (A)	II
	BOP77	15,0 l/min (A)	II
	BTI4	15,0 l/min (A)	II
Jednouchwytowe baterie mechaniczne RATIO Single lever mechanical mixing valves RATIO	BTI4-12	15,0 l/min (A)	II
	BTI4BL	15,0 l/min (A)	II
	BTI4BL-12	15,0 l/min (A)	II
	BTI4LP	9,0 l/min (Z)	II
Jednouchwytowe baterie mechaniczne RENNT0 Single lever mechanical mixing valves RENNT0	BNT1	15,0 l/min (A)/19,8 l/min (S)	II/II
	BNT2	15,0 l/min (A)	II
	BNT2-12	15,0 l/min (A)	II
	BNT2A	15,0 l/min (A)	U
	BNT2A-12	15,0 l/min (A)	U
	BNT4	15,0 l/min (A)	II
	BNT4-12	15,0 l/min (A)	II
	BNT6	15,0 l/min (A)	II
	BNT7	19,8 l/min (S)	U
	BNT7U	25,2 l/min (B)	U

Jednouchwytowe baterie mechaniczne RENNT0 BLACK Single lever mechanical mixing valves RENNT0 BLACK	BNT1BL	15,0 l/min (A)/19,8 l/min (S)	II/II
	BNT2ABL	15,0 l/min (A)	U
	BNT2BL	15,0 l/min (A)	II
	BNT6BL	15,0 l/min (A)	II
	BNT7BL	19,8 l/min (S)	U
	BNT7UBL	25,2 l/min (B)	U
Jednouchwytowe baterie mechaniczne RICO Single lever mechanical mixing valves RICO	BIO1BL	15,0 l/min (A)/15,0 l/min (A)	U/U
	BIO2A	15,0 l/min (A)	U
	BIO2ABL	15,0 l/min (A)	U
	BIO2BL	15,0 l/min (A)	U
	BIO7BL	15,0 l/min (A)	U
Jednouchwytowe baterie mechaniczne RICO ECOLOGIC Single lever mechanical mixing valves RICO ECOLOGIC	BIO1EA	15,0 l/min (A)/15,0 l/min (A)	U/U
	BIO2EA	9,0 l/min (Z)	I
	BIO7EA	15,0 l/min (A)	U
Jednouchwytowe baterie mechaniczne RITTO Single lever mechanical mixing valves RITTO	BTR1	15,0 l/min (A)/19,8 l/min (S)	II/II
	BTR2	15,0 l/min (A)	II
	BTR2-12	15,0 l/min (A)	II
	BTR2-LB	9,0 l/min (Z)	I
	BTR2A	15,0 l/min (A)	U
	BTR4	15,0 l/min (A)	II
	BTR4-12	15,0 l/min (A)	II
	BTR6	15,0 l/min (A)	II
	BTR6-12	15,0 l/min (A)	II
	BTR66P	15,0 l/min (A)	II
	BTR66PBL	15,0 l/min (A)	II
	BTR7	19,8 l/min (S)	U
	BTR7P	25,2 l/min (B)/19,8 l/min (S)	II/II
	BTR7PBL	25,2 l/min (B)/19,8 l/min (S)	II/II
	BTR7U	25,2 l/min (B)	U
Jednouchwytowe baterie mechaniczne RITTO BLACK Single lever mechanical mixing valves RITTO BLACK	BTR1BL	15,0 l/min (A)/19,8 l/min (S)	II/II
	BTR2ABL	15,0 l/min (A)	U
	BTR2BL	15,0 l/min (A)	II
	BTR2BL-12	15,0 l/min (A)	II
	BTR6BL	15,0 l/min (A)	II
	BTR6BL-12	15,0 l/min (A)	II
	BTR7BL	19,8 l/min (S)	U
	BTR7UBL	25,2 l/min (B)	U
Jednouchwytowe baterie mechaniczne ROSA Single lever mechanical mixing valves ROSA	BRR11	15,0 l/min (A)/15,0 l/min (A)	II/II
	BRR2	15,0 l/min (A)	II
	BRR2-12	15,0 l/min (A)	II
	BRR2A	15,0 l/min (A)	U
	BRR2A-12	15,0 l/min (A)	U
	BRR3	15,0 l/min (A)	U
	BRR4	15,0 l/min (A)	II
	BRR4-12	15,0 l/min (A)	II
	BRR5	15,0 l/min (A)	U
	BRR55A	15,0 l/min (A)/15,0 l/min (A)	U/U
	BRR5A	15,0 l/min (A)/15,0 l/min (A)	U/U
	BRR6	15,0 l/min (A)	II
	BRR6-12	15,0 l/min (A)	II
	BRR77	15,0 l/min (A)	II
Jednouchwytowe baterie mechaniczne RUBIO Single lever mechanical mixing valves RUBIO	BRB1	15,0 l/min (A)/15,0 l/min (A)	U/U
	BRB2	19,8 l/min (S)	U
	BRB4	15,0 l/min (A)	U
	BRB6	15,0 l/min (A)	II
	BRB7	15,0 l/min (A)	U
Jednouchwytowe baterie mechaniczne RUGGIO Single lever mechanical mixing valves RUGGIO	BRG8	15,0 l/min (A)	II
Jednouchwytowe baterie mechaniczne SAVIO Single lever mechanical mixing valves SAVIO	BSV1	15,0 l/min (A)/15,0 l/min (A)	U/U
	BSV2	19,8 l/min (S)	U
	BSV2-12	19,8 l/min (S)	U
	BSV4	15,0 l/min (A)	U
	BSV4-12	15,0 l/min (A)	U
	BSV6	15,0 l/min (A)	II
	BSV6-12	15,0 l/min (A)	II
	BSV7	15,0 l/min (A)	U
	BSV11	15,0 l/min (A)/15,0 l/min (A)	U/U
	BSV2-LB	9,0 l/min (Z)	I
Jednouchwytowe baterie mechaniczne SCALIA Single lever mechanical mixing valves SCALIA	BSA7U	19,8 l/min (S)	II
Jednouchwytowe baterie mechaniczne SELENA Single lever mechanical mixing valves SELENA	BSE11	15,0 l/min (A)/15,0 l/min (A)	II/II
	BSE2	15,0 l/min (A)	II
	BSE3	15,0 l/min (A)	U
	BSE4	15,0 l/min (A)	II
	BSE5	15,0 l/min (A)	U
	BSE77	15,0 l/min (A)	II
Jednouchwytowe baterie mechaniczne SIERRA NEW Single lever mechanical mixing valves SIERRA NEW	BSN11	15,0 l/min (A)/19,8 l/min (S)	U/II
	BSN2	15,0 l/min (A)	II
	BSN2A	15,0 l/min (A)	II
	BSN3	15,0 l/min (A)	U
	BSN4	15,0 l/min (A)	II
	BSN5	15,0 l/min (A)	II

	BSN6	15,0 l/min (A)	II
	BSN77	15,0 l/min (A)	II
	BSN8	15,0 l/min (A)/15,0 l/min (A)	II/II
Jednouchwytowe baterie mechaniczne SMILE Single lever mechanical mixing valves SMILE	BSM11	15,0 l/min (A)/15,0 l/min (A)	II/II
	BSM2	15,0 l/min (A)	II
	BSM2A	15,0 l/min (A)	II
	BSM3	15,0 l/min (A)	II
	BSM4	15,0 l/min (A)	II
	BSM2-12	15,0 l/min (A)	II
	BSM2A-12	15,0 l/min (A)	II
	BSM4-12	15,0 l/min (A)	II
	BSM5	15,0 l/min (A)	II
	BSM6	15,0 l/min (A)	II
	BSM77	15,0 l/min (A)	II
Jednouchwytowe baterie mechaniczne SOLENO Single lever mechanical mixing valves SOLENO	BLS1	15,0 l/min (A)/15,0 l/min (A)	U/U
	BLS7	15,0 l/min (A)	U
Jednouchwytowe baterie mechaniczne SONATA Single lever mechanical mixing valves SONATA	BNA4	15,0 l/min (A)	II
	BNA4-12	15,0 l/min (A)	II
Jednouchwytowe baterie mechaniczne STACCATO Single lever mechanical mixing valves STACCATO	BSD11	15,0 l/min (A)/15,0 l/min (A)	U/U
	BSD11R	15,0 l/min (A)/9,0 l/min (Z)	II/II
	BSD11RBL	15,0 l/min (A)/9,0 l/min (Z)	II/II
	BSD1BL	15,0 l/min (A)/15,0 l/min (A)	U/U
	BSD2	15,0 l/min (A)	U
	BSD2BL	15,0 l/min (A)	U
	BSD3A	15,0 l/min (A)/15,0 l/min (A)	U/U
	BSD55A	15,0 l/min (A)/15,0 l/min (A)	U/U
	BSD6	15,0 l/min (A)	U
	BSD77	15,0 l/min (A)	U
	BSD7BL	15,0 l/min (A)	U
	BSD7PA	15,0 l/min (A)	II
Jednouchwytowe baterie mechaniczne STILLO Single lever mechanical mixing valves STILLO	BSL1	15,0 l/min (A)/15,0 l/min (A)	U/U
	BSL2	15,0 l/min (A)	U
	BSL2-12	15,0 l/min (A)	U
	BSL2A	15,0 l/min (A)	U
	BSL2A-12	15,0 l/min (A)	U
	BSL4-12	15,0 l/min (A)	II
	BSL55A	15,0 l/min (A)/15,0 l/min (A)	U/U
	BSL5A	15,0 l/min (A)/15,0 l/min (A)	U/U
	BSL7	15,0 l/min (A)	U
Jednouchwytowe baterie mechaniczne STRATOS Single lever mechanical mixing valves STRATOS	BSC6BL-12	15,0 l/min (A)	II
	BSC7	25,2 l/min (B)	U
	BSC7BL	25,2 l/min (B)	U
	BSC7P	25,2 l/min (B)/25,2 l/min (B)	II/II
	BSC7PA	25,2 l/min (B)	II
	BSC7PABL	25,2 l/min (B)	II
	BSC7PBL	25,2 l/min (B)/25,2 l/min (B)	II/II
	BSC1	19,8 l/min (S)/25,2 l/min (B)	U/II
	BSC1BL	19,8 l/min (S)/25,2 l/min (B)	U/II
	BSC2	15,0 l/min (A)	II
	BSC2-12	15,0 l/min (A)	II
	BSC2BL	15,0 l/min (A)	II
	BSC2BL-12	15,0 l/min (A)	II
	BSC2L	15,0 l/min (A)	I
	BSC2L-12	15,0 l/min (A)	I
	BSC2LBL	15,0 l/min (A)	I
	BSC2LBL-12	15,0 l/min (A)	I
	BSC3PA	19,8 l/min (S)	I
	BSC3PABL	19,8 l/min (S)	I
	BSC6	15,0 l/min (A)	II
	BSC6-12	15,0 l/min (A)	II
	BSC6BL	15,0 l/min (A)	II
Jednouchwytowe baterie mechaniczne TIGA Single lever mechanical mixing valves TIGA	BTG3A	15,0 l/min (A)/19,8 l/min (S)	II/II
	BTG5A	15,0 l/min (A)/19,8 l/min (S)	II/II
Jednouchwytowe baterie mechaniczne TIGA VerdeLine Single lever mechanical mixing valves TIGA VerdeLine	BTG1VL	15,0 l/min (A)/15,0 l/min (A)	U/U
	BTG2AVL	9,0 l/min (Z)	I
	BTG2AVL-12	9,0 l/min (Z)	I
	BTG2VL	9,0 l/min (Z)	I
	BTG2VL-12	9,0 l/min (Z)	I
	BTG2VL-LB	9,0 l/min (Z)	I
	BTG4VL-12	9,0 l/min (Z)	I
	BTG6VL	9,0 l/min (Z)	I
	BTG6VL-12	9,0 l/min (Z)	I
	BTG7VL	19,8 l/min (S)	U
Jednouchwytowe baterie mechaniczne TOLEDO FUW Single lever mechanical mixing valves TOLEDO FUW	BDT4FUW	15,0 l/min (A)	I
	BDT4FUW-12	15,0 l/min (A)	I
Jednouchwytowe baterie mechaniczne TOLEDO PO Single lever mechanical mixing valves TOLEDO PO	BDT4PO	15,0 l/min (A)	I
	BDT4PO-12	15,0 l/min (A)	I
	BVA11	15,0 l/min (A)/19,8 l/min (S)	U/II
	BVA2	15,0 l/min (A)	II
	BVA2-12	15,0 l/min (A)	II
	BVA2A	15,0 l/min (A)	II
	BVA2A-12	15,0 l/min (A)	II

Jednouchwytowe baterie mechaniczne VASTO Single lever mechanical mixing valves VASTO	BVA3	15,0 l/min (A)	U
	BVA3A	15,0 l/min (A)/15,0 l/min (A)	U/U
	BVA4	15,0 l/min (A)	II
	BVA4-12	15,0 l/min (A)	II
	BVA4A	15,0 l/min (A)	II
	BVA4A-12	15,0 l/min (A)	II
	BVA4A-NSH	15,0 l/min (A)/15,0 l/min (A)	II/II
	BVA5	15,0 l/min (A)	II
	BVA55A	15,0 l/min (A)/15,0 l/min (A)	U/U
	BVA5A	15,0 l/min (A)/15,0 l/min (A)	U/U
	BVA6	15,0 l/min (A)	II
	BVA6-12	15,0 l/min (A)	II
	BVA77	15,0 l/min (A)	II
	BVA8	15,0 l/min (A)/15,0 l/min (A)	II/II
	BVA8-12	15,0 l/min (A)	II
	BVA2-LB	9,0 l/min (Z) (2,8 l/min.)	I
Jednouchwytowe baterie mechaniczne VASTO MEDICO Single lever mechanical mixing valves VASTO MEDICO	BVAM2	15,0 l/min (A)	II
	BVAM2-12	15,0 l/min (A)	II
	BVAM2A	15,0 l/min (A)	II
	BVAM2A-12	15,0 l/min (A)	II
	BVAM3	15,0 l/min (A)	U
	BVAM4	15,0 l/min (A)	II
	BVAM4-12	15,0 l/min (A)	II
	BVAM4A	15,0 l/min (A)	II
Jednouchwytowe baterie mechaniczne VITTO VERDELINE Single lever mechanical mixing valves VITTO VERDELINE	BVI11VL	15,0 l/min (A)/9,0 l/min (Z)	II/II
	BVI1RVL	15,0 l/min (A)/9,0 l/min (Z)	II/II
	BVI1RVLBL	15,0 l/min (A)/9,0 l/min (Z)	II/II
	BVI1VL	15,0 l/min (A)/9,0 l/min (Z)	II/II
	BVI1VLBL	15,0 l/min (A)/9,0 l/min (Z)	II/II
	BVI1VLGM	15,0 l/min (A)/9,0 l/min (Z)	II/II
	BVI2LVL	9,0 l/min (Z)	I
	BVI2LVL-12	9,0 l/min (Z)	I
	BVI2LVLBL	9,0 l/min (Z)	I
	BVI2LVLBL-12	9,0 l/min (Z)	I
	BVI2VL	9,0 l/min (Z)	I
	BVI2VL-12	9,0 l/min (Z)	I
	BVI2VLBL	9,0 l/min (Z)	I
	BVI2VLBL-12	9,0 l/min (Z)	I
	BVI2VLGM	9,0 l/min (Z)	I
	BVI6VL	9,0 l/min (Z)	I
	BVI6VLBL	9,0 l/min (Z)	I
	BVI6VLGM	9,0 l/min (Z)	I
	BVI7UVL	9,0 l/min (Z)	I
	BVI7UVL-BL	9,0 l/min (Z)	I
	BVI7VL	9,0 l/min (Z)	II
	BVI7VLBL	9,0 l/min (Z)	II
	BVI7VLGM	9,0 l/min (Z)	II
	BVI1VLG	15,0 l/min (A)/9,0 l/min (Z)	II/II
	BVI2LVLG	9,0 l/min (Z)	I
	BVI2LVLGM	9,0 l/min (Z)	I
	BVI2VLG	9,0 l/min (Z)	I
	BVI6VLG	9,0 l/min (Z)	I
	BVI7VLG	9,0 l/min (Z)	II
Jednouchwytowe baterie mechaniczne VITTO VERDELINE BLACK Single lever mechanical mixing valves VITTO VERDELINE BLACK	BVI11VLBL	15,0 l/min (A)/9,0 l/min (Z)	II/II
Jednouchwytowe baterie mechaniczne VIVA Single lever mechanical mixing valves VIVA	BVV4B	9,0 l/min (Z)/9,0 l/min (Z)	I/I
Jednouchwytowe baterie mechaniczne ZICCO Single lever mechanical mixing valves ZICCO	BZI11R	15,0 l/min (A)/9,0 l/min (Z)	II/II
	BZI11RBL	15,0 l/min (A)/9,0 l/min (Z)	II/II
	BZI1BL	15,0 l/min (A)/15,0 l/min (A)	U/U
	BZI2	15,0 l/min (A)	U
	BZI2-12	15,0 l/min (A)	U
	BZI2-LB	9,0 l/min (Z) (2,6 l/min.)	II
	BZI2BL	15,0 l/min (A)	U
	BZI2BL-12	15,0 l/min (A)	U
	BZI3A	15,0 l/min (A)/15,0 l/min (A)	U/U
	BZI4BL-12	15,0 l/min (A)	II
	BZI55A	15,0 l/min (A)/15,0 l/min (A)	U/U
	BZI6	15,0 l/min (A)	U
	BZI6-12	15,0 l/min (A)	U
	BZI6BL	15,0 l/min (A)	U
	BZI77	15,0 l/min (A)	U
	BZI7BL	15,0 l/min (A)	U
Jednouchwytowe baterie mechaniczne ZORBA Single lever mechanical mixing valves ZORBA	BZR4B	15,0 l/min (A)	II
	BZR4P	15,0 l/min (A)	II
	BZR4S	15,0 l/min (A)	II
Jednouchwytowe baterie mechaniczne ZORBA II Single lever mechanical mixing valves ZORBA II	BZR42B	9,0 l/min (Z)/9,0 l/min (Z)	I/I
	BZR42P	9,0 l/min (Z)/9,0 l/min (Z)	I/I
	BZR42S	9,0 l/min (Z)/9,0 l/min (Z)	I/I

Jednouchwytowe baterie mechaniczne ZORBA INOX Single lever mechanical mixing valves ZORBA INOX	BZR4BSS	15,0 l/min (A)	I
	BZR4PSS	15,0 l/min (A)	I
	BZR4SSS	15,0 l/min (A)	I
	BZR4WSS	15,0 l/min (A)	I
	BZR4BSSBC	15,0 l/min (A)	I
	BZR4BSSG	15,0 l/min (A)	I
	BZR4BSSGM	15,0 l/min (A)	I
Jednouchwytowe baterie mechaniczne ZORBA NERO Single lever mechanical mixing valves ZORBA NERO	BZR4BLB	15,0 l/min (A)	II
Jednouchwytowe baterie mechaniczne ZORBA SLIM Single lever mechanical mixing valves ZORBA SLIM	BZR43B	9,0 l/min (Z)/9,0 l/min (Z)	I/II
	BZR43P	9,0 l/min (Z)/9,0 l/min (Z)	I/II
	BZR43S	9,0 l/min (Z)/9,0 l/min (Z)	I/II
Jednouchwytowe baterie mechaniczne ZUMBA Single lever mechanical mixing valves ZUMBA	BZA4B	15,0 l/min (A)	II
	BZA4B-12	15,0 l/min (A)	II
	BZA4B-LB	9,0 l/min (Z) (2,8 l/min.)	I
	BZA4BLP	9,0 l/min (Z)	II
	BZA4P	15,0 l/min (A)	II
	BZA4P-12	15,0 l/min (A)	II
	BZA4S	15,0 l/min (A)	II
	BZA4S-12	15,0 l/min (A)	II
	BZA4W	15,0 l/min (A)	II
	BZA4W-12	15,0 l/min (A)	II
Jednouchwytowe baterie mechaniczne ZUMBA II Single lever mechanical mixing valves ZUMBA II	BZA42B	9,0 l/min (Z)/9,0 l/min (Z)	I/I
	BZA42B-12	9,0 l/min (Z)/9,0 l/min (Z)	I/I
	BZA42P	9,0 l/min (Z)/9,0 l/min (Z)	I/I
	BZA42P-12	9,0 l/min (Z)/9,0 l/min (Z)	I/I
	BZA42S	9,0 l/min (Z)/9,0 l/min (Z)	I/I
	BZA42S-12	9,0 l/min (Z)/9,0 l/min (Z)	I/I
	BZA42W	9,0 l/min (Z)/9,0 l/min (Z)	I/I
	BZA42W-12	9,0 l/min (Z)/9,0 l/min (Z)	I/I
Jednouchwytowe baterie mechaniczne ZUMBA INOX Single lever mechanical mixing valves ZUMBA INOX	BZA4BSS	15,0 l/min (A)	I
	BZA4BSS-12	15,0 l/min (A)	I
	BZA4PSS	15,0 l/min (A)	I
	BZA4PSS-12	15,0 l/min (A)	I
	BZA4SSS	15,0 l/min (A)	I
	BZA4SSS-12	15,0 l/min (A)	I
	BZA4WSS	15,0 l/min (A)	I
	BZA4WSS-12	15,0 l/min (A)	I
	BZA4BSSBC	15,0 l/min (A)	I
	BZA4BSSG	15,0 l/min (A)	I
	BZA4BSSGM	15,0 l/min (A)	I
Jednouchwytowe baterie mechaniczne ZUMBA INOX GOLD Single lever mechanical mixing valves ZUMBA INOX GOLD	BZA4BSSG-12	15,0 l/min (A)	I
Jednouchwytowe baterie mechaniczne ZUMBA NERO Single lever mechanical mixing valves ZUMBA NERO	BZA4BLB	15,0 l/min (A)	II
	BZA4BLB-12	15,0 l/min (A)	II
Jednouchwytowe baterie mechaniczne ZUMBA SLIM Single lever mechanical mixing valves ZUMBA SLIM	BZA43B	9,0 l/min (Z)/9,0 l/min (Z)	I/II
	BZA43B-12	9,0 l/min (Z)/9,0 l/min (Z)	I/II
	BZA43P	9,0 l/min (Z)/9,0 l/min (Z)	I/II
	BZA43P-12	9,0 l/min (Z)/9,0 l/min (Z)	I/II
	BZA43S	9,0 l/min (Z)/9,0 l/min (Z)	I/II
	BZA43S-12	9,0 l/min (Z)/9,0 l/min (Z)	I/II
	BZA43W	9,0 l/min (Z)/9,0 l/min (Z)	I/II
	BZA43W-12	9,0 l/min (Z)/9,0 l/min (Z)	I/II